




# ADZ-30W Waterproof Pro

## Waterproof Professional Version



### 30W防水专业版 ADZ-FSZY30

总功率: 31W

10W绿光激光, 波长520nm

9W红光激光, 波长638nm

12W蓝光激光, 波长450nm

光束发散度: <1.2毫弧度 (全角)

调制方式: TTL | 模拟调制

激光寿命: >10,000小时

防护等级: IP66

1.工作环境: 户外及室内, -25°C至40°C

2.扫描系统: 40K振镜, 光学角度±30°

3.控制模式: ILDA, DMX512, 自动, 手动,  
主从同步

4.电源: 100-250V, 50/60Hz

5.额定功率: ≤400W

6.尺寸: 366×436×210mm (高)

7.重量: 38kg

Total Power: 31W

10W Green Laser, Wavelength 520nm

9W Red Laser, Wavelength 638nm

12W Blue Laser, Wavelength 450nm

Beam Divergence: < 1.2 mrad (Full Angle)

Modulation Mode: TTL | Analog Modulation

Laser Lifespan: > 10,000 Hours

Ingress Protection Rating: IP66

1.Operating Environment: Indoor & Outdoor, -25°C to 40°C

2.Scanning System: 40K Galvanometer, Optical Angle ±30°

3.Control Modes: ILDA, DMX512, Auto, Manual, Master-Slave  
Synchronization


4.Power Supply: 100-250V, 50/60Hz

5.Rated Power: ≤ 400W

6.Dimensions: 366×436×210mm (H)

7.Weight: 38kg

# Dimensions of the machine



## ADZ Brand 30W Professional Waterproof Laser Light Collaboration Case





1.DMX信号输入

1.DMX Signal Input

2.DMX信号输出

2.DMX Signal Output

3.以太网接口

3.Ethernet Port

4.以太网接口

4.Ethernet Port

5.保险丝

5.Fuse

6.电源开关

6.Power Switch

7.功能菜单调节旋钮

7.Function Menu Adjustment Knob

8.ILDA输入/输出

8.ILDA Input/Output

9.电源输入

9.Power Input

10.安全锁

10.Safety Lock