



# ADZ-40W Waterproof Pro

Waterproof Professional Version



## 40W防水专业版 ADZ-FSZY40

总功率: 43W

13W绿光激光, 波长520nm

12W红光激光, 波长638nm

18W蓝光激光, 波长450nm

光束发散度: <1.2毫弧度 (全角)

调制方式: TTL | 模拟调制

激光寿命: >10,000小时

防护等级: IP66

1.工作环境: 户外及室内, -25°C至40°C

2.扫描系统: 40K振镜, 光学角度±30°

3.控制模式: ILDA, DMX512, 自动, 手动, 主从同步

4.电源: 100-250V, 50/60Hz

5.额定功率: ≤500W

6.尺寸: 366×436×210mm (高)

7.重量: 38kg

Total Power: 43W

13W Green Laser, Wavelength 520nm

12W Red Laser, Wavelength 638nm

18W Blue Laser, Wavelength 450nm

Beam Divergence: < 1.2 mrad (Full Angle)

Modulation Mode: TTL | Analog Modulation

Laser Lifespan: > 10,000 Hours

Ingress Protection Rating: IP66

1.Operating Environment: Indoor & Outdoor, -25°C to 40°C

2.Scanning System: 40K Galvanometer, Optical Angle ±30°

3.Control Modes: ILDA, DMX512, Auto, Manual, Master-Slave Synchronization



4.Power Supply: 100-250V, 50/60Hz

5.Rated Power: ≤ 500W

6.Dimensions: 366×436×210mm (H)

7.Weight: 38kg






ADZ Brand 40W Professional Waterproof Laser Light Collaboration Case







1.DMX信号输入

2.DMX信号输出

3.以太网接口

4.以太网接口

5.保险丝

6.电源开关

7.功能菜单调节旋钮

8.ILDA输入/输出

9.电源输入

10.安全锁

1.DMX Signal Input

2.DMX Signal Output

3.Ethernet Port

4.Ethernet Port

5.Fuse

6.Power Switch

7.Function Menu Adjustment Knob

8.ILDA Input/Output

9.Power Input

10.Safety Lock